## See SAPS Manual for detailed coding definitions (N. Andreason, 1984)

		NONE				<u>SEVERE</u>	
HALLUCINATIONS							
1.	Auditory Hallucinations The patient reports voices, noises, or other sounds that no one else hears.	0	1	2	3	4 5 [17060]	
2.	Voices Commenting The patient reports a voice which makes a running commentary on his behavior or thoughts.	0	1	2	3	4 5 [17070]	
3.	Voices Conversing The patient reports hearing two or more voices conversing.	0	1	2	3	4 5 [17080]	
4.	Somatic or Tactile Hallucinations The patient reports experiencing peculiar physical sensations in the body.	0	1	2	3	4 5 [17090]	
5.	Olfactory Hallucinations The patient reports experiencing unusual smells which no one else notices.	0	1	2	3	4 5 [17100]	
6.	Visual Hallucinations The patient sees shapes or people that are not actually present.	0	1	2	3	4 5 [17110]	
7.	Global Rating of Hallucinations This rating should be based on the duration and severity of the hallucinations and their effects on the patient's life.	0	1	2	3	4 5 [17120]	
DELUSIONS							
8.	Persecutory Delusions The patient believes he is being conspired against or persecuted in some way.	0	1	2	3	4 5 [17130]	
9.	Delusions of Jealousy The patient believes his spouse is having an affair with someone.	0	1	2	3	4 5 [17140]	
10.	Delusions of Guilt or Sin The patient believes that he has committed some terrible sin or done something unforgivable.	0	1	2	3	4 5 [17150]	
11.	Grandiose Delusions The patient believes he has special powers or abilities.	0	1	2	3	4 5 [17160]	

SAPS CODES									
0 = None/Not at All 1 = Questionable 2 = Mild	4	= Moderate = Marked = Severe							

NONE -SEVERE UNK Religious Delusions 2 3 5 12. 0 1 4 The patient is preoccupied with false [17170] beliefs of a religious nature. 13. Somatic Delusions 0 1 2 3 5 The patient believes that somehow his body [17180] is diseased, abnormal, or changed. 14. Delusions of Reference 0 1 2 3 [17190] The patient believes that insignificant remarks or events refer to him or have special meaning. Delusions of Being Controlled 0 1 2 3 [17200] The patient feels that his feelings or actions are controlled by some outside force. Delusions of Mind Reading 16. 0 2 1 3 [17210] The patient feels that people can read his mind or know his thoughts. 5 Thought Broadcasting 0 1 2 3 The patient believes that his thoughts are [17220] broadcast so that he himself or others can hear them. Thought Insertion 5 18. 0 1 2 3 The patient believes that thoughts that [17230] are not his own have been inserted into his mind. 19. Thought Withdrawal 2 5 0 1 3 The patient believes that thoughts have [17240] been taken away from his mind. Global Rating of Delusions 0 1 2 3 5 This rating should be based on the [17250] duration and persistence of the delusions and their effect on the patient's life. BIZARRE BEHAVIOR 21. Clothing and Appearance 0 1 2 3 5 The patient dresses in an unusual manner [17260] or does other strange things to alter his appearance. 22. Social and Sexual Behavior 0 1 2 3 4 5 TJ The patient may do things considered [17270] inappropriate according to usual social norms (e.g., masturbating in public).

SAPS CODES							
<pre>0 = None/Not at All 1 = Questionable 2 = Mild</pre>	3 = Moderate 4 = Marked 5 = Severe	U = Unknown/ Cannot Be Assessed/ Not Assessed					

2 = Mild

NONE -SEVERE UNK Aggressive and Agitated Behavior 2. 3 5 TJ The patient may behave in an aggressive, agitated manner, often unpredictably. [17280] Repetitive or Stereotyped Behavior 0 1 2 3 5 U The patient develops a set of repetitive [17290] actions or rituals that he must perform over and over. Global Rating of Bizzare Behavior 0 1 2 3 5 TJ This rating should reflect the type of [17300] behavior and the extent to which it deviates from social norms. POSITIVE FORMAL THOUGHT DISORDER Derailment 0 1 2 3 5 26. A pattern of speech in which ideas slip [17310] off track onto ideas obliquely related or unrelated. Tangentiality 0 1 2 3 5 27. [17320] The patient replys to a question in an oblique or irrelevant manner. 28. Incoherence 0 1 2 3 4 5 A pattern of speech that is essentially [17330] incomprehensible at times. 5 29. Illogicality 0 1 2 3 4 A pattern of speech in which conclusions [17340] are reached that do not follow logically. 30. Circumstantiality 5 0 1 2 3 4 A pattern of speech that is very indirect [17350] and delayed in reaching its goal idea. Pressure of Speech 0 1 2 3 5 The patient's speech is rapid and [17360] difficult to interrupt; the amount of speech produced is greater than that considered normal. Distractible Speech 5 0 1 2. 3 The patient is distracted by nearby [17370] stimuli which interrupt his flow of speech. 33. Clanging 0 1 2 3 5 A pattern of speech in which sounds rather [17380] than meaningful relationships govern word choice. Global Rating of Positive Formal Thought 1 2 5 Disorder [17390] The frequency of this rating should reflect the frequency of abnormality and degree to which it affects the patient's ability to communicate. SAPS CODES 0 = None/Not at All 3 = Moderate U = Unknown/ 1 = Questionable 4 = MarkedCannot Be Assessed/

5 = Severe

Not Assessed